

Boshart Watertight Well Caps

Contact us to Order and/or for
Pricing!

info@purewatersupplies.net

Watertight well caps are easy to install and provide easy access for maintenance. They feature large screened air vents, making them vermin proof. The design offers greater clearance for submersible pump cable. Two O-rings ensure a reliable watertight seal both between the well casing & retainer ring as well as between the seal cover & retainer ring.

Stainless steel hardware is used for maximum corrosion resistance. A well log is provided inside each cap to record installation date and specifications.

Premium; WTCL Series

Along with all of the above, this cap also has a three piece design allows the cover to be removed without disturbing the seal to the well casing, or interfering with the wiring/conduit. Blue powder coat paint ensures superior quality. Featuring a thick, heavy duty SBR gasket and a deep socket to ensure the watertight seal is down from the top of the well casing. Supplied with a grounding terminal and the metal cap is bonded to the steel casing with set screws. Locking feature provides a secure/tamper proof design. (Lock not included). Cap can be personalized by means of an engraveable aluminum plate which is affixed by drive rivets.

Available in 2" FPT Conduit Connection — 8"

CERTIFICATIONS: No Lead; Water Systems Council



ABS Glue-on; WTC Series

Includes a casing adapter that can be glued onto the well casing for flexibility where casing sizes may vary.

Each well cap has a grounding terminal with a bolt.

Each available in 1" FPT Conduit Connection — 6" or 6 1/4"

CERTIFICATIONS: No Lead; Water Systems Council



PVC & Aluminum Standard; WTC Series

Each well cap has a grounding terminal with a bolt.

Each available in 1" FPT Conduit Connection — 6"

CERTIFICATIONS: No Lead; Water Systems Council



Boshart Watertight Well Caps

Contact us to Order and/or for
Pricing!

info@purewatersupplies.net

Aluminum Standard; WTC Series

Each well cap has a grounding terminal with a bolt.

Each available in 1" FPT Conduit Connection — 4"; 5"; 6" (one available in 1 1/4" FPT conduit connection; 6")

CERTIFICATIONS: No Lead; Water Systems Council



Aluminum Powder Coat Painted; WTC Series

Each well cap has a grounding terminal with a bolt.

Each available in 1" FPT Conduit Connection — 6"

CERTIFICATIONS: No Lead; Water Systems Council



Cast Iron Locking—Powder Coat Paint; WTC Series

Each well cap has a grounding terminal with a bolt.

Available in 1" FPT Conduit Connection, 6" or 1 1/4" FPT Conduit Connection, 6"

CERTIFICATIONS: No Lead; Water Systems Council



Aluminum Locking; WTCL Series

Each available in 1 1/4" FPT Conduit Connection — 8"; 10"; 12"

CERTIFICATIONS: No Lead



Aluminum Locking; WTMLC Series

Along with the above, these well caps are miracle locking, providing secure/tamper proof (lock not included), and each has a grounding terminal with a bolt.

Each available in 1" FPT Conduit Connection — 4"; 4 1/2"; 5"; 6 5/8" and 1 1/4" FPT Conduit Connection, 6"

CERTIFICATIONS: No Lead; Water Systems Council



Boshart Watertight Well Caps

Contact us to Order and/or for
Pricing!

info@purewatersupplies.net

Aluminum Locking Powder Coat Paint; WTMLC Series

Along with the above, these well caps are miracle locking, providing secure/tamper proof (lock not included), and each has a grounding terminal with a bolt.

Each available in 1" FPT Conduit Connection — 4 1/2"; 5"; 5 5/8"

CERTIFICATIONS: No Lead; Water Systems Council



Cast Iron Locking Powder Coat Paint; WTCC Series

Along with the above features, this cap is designed with a deep pocket for sealing unevenly cut casings, as the gasket will seal as far as 1 1/2" from the top of the casing. Compression is achieved by tightening five bolts. It also has the locking feature to provide a secure/tamper proof. (lock not included)

Available in 1 1/4" FPT Conduit Connection — 6 5/8"

CERTIFICATIONS: No Lead; Water Systems Council

