Boshart Pipe Fittings & Accesso

Couplings

Contact us to Order and/or for Pricing! info@purewatersupplies.net

Brass

Comp x MPT Coupling Compression Fitting

Suitable for use in low to medium pressure applications. Applicable with copper, brass, aluminum, plastic, CPVC & Pex tubing.

Available in 1/4", 1/4" x 1/2", 1/2", 1/2" x 3/4", other sizes available upon request

CERTIFICATIONS: No Lead, NSF / ANSI 372



Comp x FPT Coupling Compression Fitting

Suitable for use in low to medium pressure applications. Applicable with copper, brass, aluminum, plastic, CPVC & Pex tubing.

Available in 1/4", 1/4" x 1/2", 1/2" other sizes available upon request

CERTIFICATIONS: No Lead, NSF / ANSI 372





Flare x FPT Coupling

Suitable for use in plumbing industry. Applicable with copper, brass, aluminum, and steel tubing. They can be disassembled and reassembled many times with no effect on the seal.

Available in 1/4", 1/4" x 1/2", 1/2", 1/2" x 3/4", 3/4" other sizes available upon request **CERTIFICATIONS: N/A**



Female Flare Coupling

Suitable for use in plumbing industry. Applicable with copper, brass, aluminum, and steel tubing. They can be disassembled and reassembled many times with no effect on the seal.

Available in 3/8", 1/2" **CERTIFICATIONS: N/A**



Female Flare x MPT Coupling

Suitable for use in plumbing industry. Applicable with copper, brass, aluminum, and steel tubing. They can be disassembled and reassembled many times with no effect on the seal. Available in 1/4'', 1/2'' other sizes available upon request CERTIFICATIONS: N/A







Boshart Pipe Fittings & Accessories

Couplings

Brass

Female Flare Swivel Coupling

Suitable for use in plumbing industry. Applicable with copper, brass, aluminum, and steel tubing. They can be disassembled and reassembled many times with no effect on the seal.

Available in 1/4", 1/2" other sizes available upon request CERTIFICATIONS: N/A



Contact us to Order and/or

for Pricing! info@purewatersupplies.net

Barb x MPT Coupling

Suitable for use with various hose and tubing.

Available in 1/4", 1/4" x 1/2", 1/2" x 1/4", 1/2", 1/2" x 3/4", 3/4" x 1/2", 3/4", 1" other sizes available upon request

CERTIFICATIONS: No Lead, NSF / ANSI 372



Barb x FPT Coupling

Suitable for use with various hose and tubing. Available in 1/4", 1/2" other sizes available upon request CERTIFICATIONS: No Lead, NSF / ANSI 372







Suitable for use with various hose and tubing. Available in 1/4", 1/2", 3/4" other sizes available upon request CERTIFICATIONS: No Lead, NSF / ANSI 372



Mini Barb x MPT Coupling

Suitable for polyethylene tubing. They have excellent vibration resistance. Available in 1/4' and other sizes available upon request CERTIFICATIONS: N/A



Boshart Pipe Fittings & Accessories

Couplings

Brass

Mini Barb Coupling Suitable for polyethylene tubing. They have excellent vibration resistance. Available in 1/4", 3/8", 1/2" CERTIFICATIONS: N/A

Insert Coupling

Elbows have been designed with a smooth sweep channel to minimize friction loss. This ensures the highest possible flow rates and pumping efficiency. They are meant for use with poly pipe.

Available in 1/2", 3/4", 1", 1 1/4", 1 1/2", 2" other sizes available upon request CERTIFICATIONS: No Lead, NSF / ANSI 372

Flare Union Coupling

Suitable for use in the plumbing industry. Applicable with aluminum, brass, copper and steel tubing. They can be disassembled and reassembled many times with no effect on the seal.

Available in 1/4", 1/2", 3/4", 1/2" x 1/4" other sizes available upon request CERTIFICATIONS: N/A







