Boshart Pipe Fittings & Accessories
Nipples
Brass

Red Brass nipples are produced from red brass pipe which has higher copper content than yellow brass and offers much better corrosion resistance from water and resists attack from salt water, & minerals, contained in water.

Ideal for use in high corrosion installations such as barns, underground installations, wells, basements or any other damp environments. Much longer lifespan than galvanized fittings.

CERTIFICATIONS: ANSI / ASME B1.20.1; ASTM B43; ASTM B687; No Lead; NSF / ANSI 372; NSF / ANSI 61

1/8"
Available in 3/4"-close, 1-1/2", 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6", 7", 8", 9", 10", 12"

3/8"
Available in 1"-close, 1-1/2", 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6", 8", 10", 12"

1/4"
Available in 7/8"-close, 1-1/2", 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6", 8", 9", 10", 12",

3/4"
Available in 1-3/8"-close, 1-1/2", 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6", 7", 8", 10", 11", 12", 18", 24", 30", 36"

1/2"
Available in 1-1/8"-close, 1-1/2", 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6", 7", 8", 9", 10", 12", 18", 24", 30", 36"

1"
Available in 1-1/2"-close, 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6", 7", 8", 9", 10", 11", 12", 18", 24", 30", 36"

1—1/4"
Available in 1-5/8"-close, 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6", 8", 9", 18", 24", 30", 36"

1—1/2"
Available in 1-3/4"-close, 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6", 8", 10", 12", 18", 24", 30", 36"

2"
Available in 2"-close, 2", 2-1/2", 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6", 7", 8", 9", 10", 12", 18", 24", 30", 36"

2-1/2"
Available in 2-1/2"-close, 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6", 8", 10", 12"

3"
Available in 2-5/8"-close, 3", 3-1/2", 4", 4-1/2", 5", 5-1/2", 6", 8", 10", 12"

4"
Available in 2-7/8"-close, 3-1/2", 4", 4-1/2", 5", 6", 8", 12"

.

.